Design Guidelines





DESIGN GUIDELINES

1	Impoi	rtant Dates	
2	General Information		4
	I.	Submission of Stand Layout Design for Approval	4
	II.	Encroachment	4
	III.	Electrical Fittings / Furniture on Hire	4
	IV.	Care of Building and Equipment	4
	V.	Demonstration of Working Exhibits	5
	VI.	Damages	5
	VII.	Fascia Text for Built Up Space – Deadline	5
	VIII.	Heavy Exhibits bigger in Size	5
3	Raw Space - General Rules and Guidelines for Design Construction		
	I.	Mezzanine Construction	8
	II.	Audio Visual Films, Video Walls, Stage Shows	11
	III.	Electrical Installation Regulations	11
	IV.	Stand Approval	12
4	Built Up Space - General Rules and Guidelines for Design Construction		13
	I.	Audio Visual Films, Video Walls, Stage Shows	16
	II.	Electrical Installation Regulations	16
	III.	Stand Approval	17

1. Important Dates

Particulars	Deadline Date
Electricity Requirement for Raw Space Exhibitors	20.10.2024
Extra Electricity Requirement for Built Up Space Exhibitors	20.10.2024
Fascia for Built-up Space Exhibitors	25.10.2024
Raw Space Design Approval	25.10.2024
Possession for Raw Space Exhibitors	11.11.2024
Possession for Built Up Space Exhibitors	13.11.2024
Dismantling (Overnight Dismantling)	18.11.2024
Inauguration: CII AgroTech India - Krishi Bharat 2024	15.11.2024

2. GENERAL INFORMATION

This document contains several regulations, compliance which is essential forthe setting up of the show professionally. Every Exhibitor must study and follow these guidelines carefully. Should you need clarifications or require advice, please contact the CII AgroTech India – Krishi Bharat 2024 co-ordinator who will be happy to help. Exhibitors are advised to inform their advertising / design construction agencies regarding these rules and regulations for stand decoration. Please note the Organiser will not correspond or deal with agents engaged by the Exhibitor.

The Exhibitor while planning stand design must follow the Stand Construction Regulations described in this document.

I. SUBMISSION OF STAND LAYOUT DESIGN FOR APPROVAL

Exhibitors must submit 3D views from all sides, detailing the design along with thefloor plan for approval, latest by **25 October 2024**. The exhibitor shall be bound by the changes / modifications advised by the fair architect. In case of non-receipt of stand drawings by **25 October 2024**, the Organiser reserves the right to refuse construction of the stand at site.

II. ENCROACHMENT

The Exhibitor must confine their exhibits within the area allocated. No encroachment on corridors, free space or other facilities provided by the Organiser will be permitted. Each Exhibitor shall follow the center of the markingson the floor for common sides and outside edge for open sides.

III. ELECTRICAL FITTINGS / FURNITURE ON HIRE

Exhibitors who book space especially for the Shell Scheme are advised to contact the Fair Secretariat for requirements of additional furniture & electrical fittings. All such requirements must be registered by 20 October 2024. The Organiser will plan with official stand contractors to deliver additional furniture directly to the Exhibitor's stand area. All payments must be made directly to the official stand contractor for additional items.

IV. CARE OF BUILDING AND EQUIPMENT

Exhibitors or their contractors must not damage or deface the exhibition facility or the exhibits and equipment of other exhibitors. Should such damage occur, the respective Exhibitor will be liable to compensate the owner of the property so damaged. Exhibitors are responsible for the cost of making good or replacing any damages to the exhibition premises, whether caused by themselves, their agents, contractors or by any person or persons employed or engaged on their behalf bysuch agents or contractors.

V. DEMONSTRATION OF WORKING EXHIBITS

An Exhibitor intending to demonstrate any product/ equipment at his stand are advised to take prior written permission of organisers and must:

- a. Provide the Organiser with full details in writing of working exhibits involving moving parts, naked flames, and lasers or of other hazards which could be potentially dangerous.
- b. Consider safety conditions under which exhibits will be demonstrated, including safety guards and screens to prevent accidents or injury to visitors and staff.
- c. Cause no annoyance to visitors or other Exhibitors. If a high level of noise or other objectionable factors are involved, the Organiser reserves the right to stipulate demonstration timings or to terminate a demonstration at any time.
- d. No naked flames are allowed in any demonstration on the exhibition premises.
- e. Isolate controls and switches so that machinery cannot be accidentally activated.
- f. In case of dispute, the Organisers ruling will be final.

VI. DAMAGES

Exhibitors occupying Shell Scheme Stands will be held responsible for the cost of making good, restoring, or renewing any damages to the shell stand structures, floor coverings, light fittings, or any part thereof, whether caused by themselves, their agents, contractors or by any person or persons employed or engaged on their behalf by such agents or contractors. The cost of making good any damage will be assessed by the Official Shell Scheme Contractor and charged to the Exhibitor.

Exhibitors are responsible for the cost of making good or replacing any damages to the exhibition premises, whether caused by themselves, their agents, contractors or by any person or persons employed or engaged on their behalf bysuch agents or contractors.

The Organiser, in conjunction with the ground authorities, will inspect the Halls before the build-up and after break-down of the Exhibition.

VII. FASCIA TEXT for Built Up Space – Deadline

Exhibitors who have booked Shell Scheme (Built-up) space are requested to send Form No 5 giving the Fascia text for their Stand Fascia latest by **25 October 2024**. In the event of non-receipt of this form, organisers are free to take name as mentioned in application form for fascia.

VIII. HEAVY/ EXHIBITS BIGGER IN SIZE

Please Share the details of heavy exhibits / exhibits bigger with all dimensions mentioned, by 31 October 2024

2. RAW SPACE - GENERAL RULES & GUIDELINES FOR DESIGN AND CONSTRUCTION

All height details mentioned in these guidelines are from the ground level and not from any raised flooring created by the exhibitors. Exhibitors are responsible for their own stand design and construction. The Organiser would be pleased to offer advice and guidance if required.

The following are strictly prohibited:

- a) Use of electrical flashes, flashguns etc. However, the Fair Architect may allow Neon signs above 2.5 Mtrs height subject to approval.
- b) Cloth Banners
- c) Stage shows or presentations without prior permission in writing from the Organiser & without a concept note on the proposed show.
- d) Suspending of display items from the Hangar ceiling or parts of it.
- e) Storage of any kind, behind the display walls.

The maximum height of the artificial floor should not exceed 10 cm / 4" and anyother area raised artificially or for display purpose shall be such that it does not obstruct the adjoining stand.

The maximum height of any stand should not exceed 2.5 mtrs unless approved by the Fair Architect.

The following table would give a clear guideline on the permissible heights forbranding.

Indoor Area Booked / Branding Heights in meters (Inside Hangars)

Area	Maximum Height
18 – 60	2.5
61 – 150	3.0
151 & above	3.5

Outdoor Area Booked / Branding Heights in meters (Open Sky)

Area	Maximum Height
70 - 100	3.0
100 - 300	4.0
300 & above	5.0

Branding should be done, as per above chart, in center of the stand / pavilion and are subject to approval from the Fair Architect. All heights are from the natural floor only and should not obstruct the view /orientation of any other stand. Indoor Height of panel against natural back wall along the periphery of the Hangars will be allowed up to 5.0 mtrs if the height is available at the place where the stall is located, subject to approval from the Fair Architect.

Any partition wall between two stands beyond 2.5-meter height is Not Allowed.

However, if an exhibitor intends to leave one meter gap from the partition wall to erect another solid wall and then place a unit beyond 2.5 metersheight on the wall, then the size of the wall should not be more than 50% of thelength of the wall. However, the final decision on allowing / approving such design is of the Fair Architect.

Height of side partitions will be restricted to 2.5 Mtrs from the ground.

If there is any difference in the level of partitions of any two adjacent stands, (not more a 10 cm.) the exhibitor with a bigger height shall finish properly the portion extending above the neighboring stand.

Fascia/ design element of the stall which is more than 2.5 m in height inside the back/side walls should be supported by steel / metal pipe on back wall or side wall towards the other stall, instead of any solid structure blocking the view of neighboring stall beyond 2.5m.

The width of the design element / translit / Fascia from neighboring booth should not be more than 12 inches if placed above 2.5 m height and the side visible from the neighboring stand should be properly finished. No marking / branding is allowed on the back side of the translit. The exhibitor should be ready to paint it with the color requested by Fair Architect.

- A. Height of panel against natural back wall along the periphery of the Hall will be allowed up to 5.0 mtrs subject to availability of Height. In Halls where air conditioning vents are installed along on actual walls, exhibitors are advised to keep the back wall below the air conditioning vents or keep the air conditioning vents open through the back wall into the respective stalls. It is subject to approval from the Fair Architect.
- B. Access must be given to any Emergency Exit, Fire Exit, Electrical box, Service room etc. falling within the exhibitor's stand area. It is mandatory to leave a minimum opening in the partitions against the natural wall to provide access for electrical fittings etc.
- C. The building of turn- tables/ramps would be permitted after clearance from the Fair Architect. If approved the Height of such a turntable/ ramp must not exceed 1.0 mtrs. Exhibitors wishing to use turn tables/ ramps must clearly show the locationin their drawings and obtain positive clearance from the Fair Architect failing which they would not be permitted to erect such turn tables / ramps.
- D. Exhibitors may be permitted to erect a Conference/ Meeting Room within their area alongside the natural wall up to 2.5 Mtrs height. The area of the meeting room may be up to 20% of the total area booked by the exhibitor. The location of the Conference / Meeting room would require specific clearance by the Fair Architect. However, for stands with all sides open, the conference room shall have clear transparent glass/ acrylic without any blinds/ curtains above 1.2 Mt. Height.

I. <u>MEZZANINE CONSTRUCTION</u>

Mezzanine floor maybe permitted to be constructed inside the stands having an area of above 100 Sq. Mts. subject to payment of additional space rent and onthe following conditions: -

- Please note that 40% of the periphery can be used for mezzanine length; for example:

 if back wall / common wall length is 30m then length of mezzanine against the wall should be 12m only and more than that is not allowed. This rule is relaxed if the stall is the last stall and has no stall behind.
- Area of mezzanine floor shall not exceed 20% of the total stand area subject to a maximum of 200 Sqms.
- The railing on the sides of the mezzanine shall be of transparent material in the portion extending beyond 2.5 Mtrs. height from the ground level.
- Any stall which is not along the natural wall; mezzanine covering through solid wall is not allowed and only open mezzanine with railing of maximum one meter height is permissible.
- a) Exhibitor to get a structural engineer to duly certify the stability of the structure of the mezzanine. A copy of the certificate must be enclosed alongwith the stand layouts for drawing approval submission. The organizers shallnot be held responsible for any mishap due to the sub-standard design/ workmanship/ material used during the construction of the mezzanine. Any sub-standard construction leading to collapse of mezzanine / accidentswill be penalised and the exhibitor will be blacklisted for future editions.
- b) The construction of the mezzanine shall be permitted only if, in the opinion of the Fair Architect, it is not obstructing the display/ visibility of any adjoining stands.
- c) The mezzanine floors can be used only as a visitor hospitality lounge. Exhibits/display will not be permitted on the mezzanine floor.
- d) Offices/cabins with closed walls & ceilings are strictly prohibited on the mezzanine floor. The mezzanine must be an open area only with safety railings on open sides, not exceeding a maximum height of 1m.
- e) The rear and side walls of the stand adjacent to / facing neighboring stands must not be transparent and must be clean and covered in a uniform neutralcolor above the height of 2.5 meters.
- f) Construction of mezzanine floor must be at least 3 m away from the boundaryof all open sides of the stand, and one meter away from the backwall andcommon side wall of neighboring stands.
- g) No branding is allowed on and above the mezzanine floor.

h) Maximum Height

- No roofing is allowed on the mezzanine floor.
- The maximum permissible height below the mezzanine floor is 2.5 meters.

i) Railings

- Safety railings must be at least 1m high and consist of a top, middle and bottom rails.
- Only railing of maximum height of one meter without any branding is allowed in the front and open sides of the stand.
- A strip of at least 0.10m must be mounted along the edge of the mezzanine floor beneath to prevent falling objects.
- Walls adjoining neighboring stands on the mezzanine floor must besufficiently stable to prevent accidental falling of person or objects.

j) Fire Prevention

- Any load bearing elements and fixtures of the mezzanine floor must be of Fireproof material.
- The mezzanine floor should be equipped with at least one fire extinguisher.

Mezzanine floor Structural Stability Certificate with technical specifications approved by Structural Engineer must be submitted to the CII AgroTech India – Krishi Bharat 2024 - Secretariat for approval before commencing the construction.

- 1. Covering of Outdoor stalls beyond the conference / meeting area (10% of stand area subject to a maximum of 50 sqms) is not allowed. Exhibitors may cover beyond their conference area only after paying an additional amount of 25% of the space rental for the covered outdoor area.
- 2. It is necessary that panels erected against outer glass walls in the Halls be properly finished on both sides. Exhibitors failing to do so would be penalized INR 1000 per running meter. Covering would be done up to 2.5 mts height.
- 3. All open or unfinished sides of the exhibit space which may appear unsightly must be covered or the Organiser will have them covered at the Exhibitor's sole expenses @ INR 1000 per sqm. Any portion of the Exhibit bordering another Exhibitor's space must have the backside of the portions finished and not carry any identification signs or other marks that could detract from the adjoining exhibit.
- 4. All exhibit floor space must be fully carpeted or covered.
- 5. Woodwork is prohibited in the Halls. Platforms/ Panels and other decorations for the interior must be brought in prefabricated condition. Only assembly and finishing will be allowed in the Hall. Spray painting inside the Exhibition halls is strictly prohibited and any exhibitor doing so shall bear the risk of dis-connection of power supply to the stand.

6. For Island / 3 side open stalls it is mandatory for exhibitors to design their stands in such a way that **there is no obstruction on any of the open sides**. This will ensure free movement and give exhibitors a feeling of openness and transparency. Exhibitors are not allowed to obstruct the view or adversely affect the displays of other exhibitors. For the meeting room, solid Partitions upto 1.2 mtrs and seethrough glass / clear acrylic partitions for the balance 1.3 mtr on top may be used.

Fair Architect reserves the right to turn down approval for stands with anyof the open sides blocked.

No solid partitions will be allowed within 3.0 mtrs from the aisle in standscovering an area of 500 sqm and above.

- 1. A maximum of 70% of Stand area may be used for exhibits and the balance 30%must be left free for circulation. The Exhibitors shall not arrange the display of material in a way that would obstruct the passage area.
- 2. Natural Pillars falling within stand area may be covered to a height of 5.0 mtrs only, subject to approval by fair architect and availability of height.
- Hangar columns, Roof Trusses, Air Conditioning Vents, and all other structures of the Hall must not be used as support or be subject to load or stress by the stand structure.
- 4. Exhibits over 2.5mt Height must not be placed on any raised platform.
- 5. There is no restriction on height and weight of exhibits on display except imposedby the load bearing capacity of the floor and height of entry doors. The same should be checked with the Fair Architect before finalising large/heavy exhibits for display.
- 6. Any presentation/ demonstration/ exhibit likely to attract groups of 10 or more people must be located towards the centre of the stand and clearly shown on stand drawings. If the location of such an exhibit result in blocking of the Aisles, the aisle space thus blocked shall be billed to the exhibitor.
- 7. It is mandatory for the exhibitors to inform the Organiser if any of their exhibits comply with the following: -
 - Exhibit configuration is 10 sqms or more.
 - Exhibit exceeds 2.5 mtrs in height or 3 mtrs in length.
 - Exhibit material exceeds 3 tons.
 - Exhibit contains liquid fuel / natural gas / propane.
 - Exhibits requiring water for demonstration purposes.

- 8. The Organiser reserves the right to change/alter/remove any exhibit interfering with the aesthetics of the exhibition or hinders the public in any way.

 Grouting is not permissible in any Hangars. Exhibitors are advised to submit relevant drawings for clearance. Any damage to the floor or structure, fittings etc. will be charged @ INR 15,000 per hole.
- 9. To avoid inconvenience to other exhibitors and to enable the Organiser to complete repair work of passages, cable ducts etc., before the exhibition starts, exhibitors are requested to move in their exhibits within stipulated time given.

II. AUDIO VISUAL FILMS, VIDEO WALLS, STAGE SHOWS

- Stage events / shows It is not permitted by Venue Authorities to organize any stage events.
- The organiser reserves the right to disconnect the supply of electricity to anyexhibitor violating the above guidelines.
- The Organiser reserves the right to regulate or restrict exhibits within a reasonable sound level or the sound level of 60 DB peak on sound level meters(ANSI Type 2) on the SLOW meter position at 3 mtrs distance. The sound speakers must not be placed higher than 1.5 mtrs. They must be positioned downward and inward towards the center of the exhibit booth or display area and may not be pointed towards the aisle. The Organiser reserves the right to restrict to exhibitors the use of sound and other devices which are not permitted by the venue authorities and may interfere with the best interest of the fair environment.

III. <u>ELECTRICAL INSTALLATION REGULATIONS</u>

- Raw Space exhibitors must apply separately for the power connection as per their requirement. No electricity will be provided if exhibitor does not apply in advance. For details, please refer to Form 4.
- Electrical wiring and installation must be done by Exhibitors through registered professional technicians using proper wiring switches etc. to ensure safety. The Organiser shall not be responsible or liable in case of any mishap due to use of substandard material or unskilled labor.
- All wiring must be carried out in PVC, Elastomeric or other plastic sheathed cables. No exposed means of cable joints will be permitted.
- Lamps and appliances with high temperature surfaces should be guarded and used well away from combustible materials.
- No light fitting or other appliance may be suspended from the roof of the exhibition hall.
- The Organiser reserves the right to disconnect any installation, which in their opinion is dangerous or likely to cause annoyance to visitors or other Exhibitors.

To take care of voltage fluctuations, the Exhibitors are advised to fix up constant voltage transformers or insulation Transformer or stabilizers for CNC and other sensitive machines. Exhibitors are encouraged to use MCB wherevernecessary. The main supply points and electrical installations on the stand shouldbe kept open for easy access and should not be concealed.

IV. STAND APPROVAL

- 1. The decision of the Fair Architect as regards the approval of the plan shall be final and binding upon exhibitors and the work must be carried out as per the approved drawings only.
- 2. Exhibitors must submit 3D views from all sides, detailing the design along with the floor plan for approval, latest by 25 October 2024. A penalty of INR 50,000 will be levied on drawings received after this date. The drawingsmust also clearly show layout of exhibits, logo details, supporting stand electrical points etc. and clearly indicate wall / panel height, exhibits, meeting rooms etc.
- 3. In case any pre-fabrication is done by any Exhibitor before the approval of the design by the fair secretariat, the Exhibitor shall be bound by the changes / modifications advised at the time of approval of the design and to change the said prefabricated structure or any other feature to adhere to the basic design guidelines.
- 4. An exhibitor whose design has been approved by the Fair Architect may only commence construction on or after the due date. No exhibitor shall be allowed to start work on their stands without the prior approval of the plan. The decision of the Fair Architect as regards the approval of the plan shall be final and binding upon exhibitors and the work must be carried out as per the approved drawing only.
- 5. The exhibitors must keep one copy of the approved drawing at the work site.
- 6. All displays will be inspected during the set-up days and any exhibitor deviating from the regulations must make modifications as suggested by the Fair Architecton his own expense prior to the show opening.

All exhibitors stand must be completed in all respects by 1400 Hrs on 14 November 2024.

3. <u>BUILT-UP SPACE - GENERAL RULES AND GUIDELINES FOR DESIGN CONSTRUCTION</u>

General Information


- a. Features: The Shell Scheme stands would be provided with the following:
- Rear and dividing walls of 2.5 mts. ht.
- Fascia with company's name on open standfrontage(s).
- Floor covering with synthetic carpet.
- Every 18 sqms Built Up booth includes the followingitems of basic furniture: - Two Tables, Three Chairs, Six Light fixtures, 5 Amp Power Socket and waste paper basket.



Picture only for reference, actual design may differ.

b. Technical Specification of Panel & Table





c. Maximum Permissible Height for Built up Stand

The maximum height of any stand should not exceed 2.5 mtrs unless approved by the Fair Architect. The following table would give a clear guideline on the permissible heights for branding.

Indoor Area Booked / Branding Heights in meters (Inside Hangar)

Area	Maximum Height
18 – 60	2.5
61 – 150	3.0
151 & above	3.5

Branding should be done, as per the above chart, in center of the stand / pavilion and are subject to approval from the Fair Architect. All heights are from the natural floor only and should not obstruct the view /orientation of any other stand.

- A. Power for Demonstration: Apart from light fixtures, one 5 Amp Power socket (for TV, Fridge, computers etc.) will be provided in each booth of 18 sqm. In case additional power is required for demonstration or running of machinery / exhibits, the exhibitors must inform the Organiser vide Form No 4 before 20 October 2024.
 - a. Additional Furniture on Hire: A comprehensive range of standard items, including wall panels to form office enclosures, shelving, display panels, etc. may be hired from the Official Shell Stand Contractor. The Price List for additional furniture etc. will be available nearer to the show dates.
 - b. Discussion Room: Additional fitments for a discussion room (maximum 20% of space) will be provided free of charge to Exhibitors who have booked an area of 60 Sqm and above. Exhibitors are requested to plan the location for this as per their display arrangements and submit a detailed drawing showing the location of the conference room at the earliest but not later than 25 October 2024.
 - c. **Ceiling:** Ceilings shall be open but will be braced for stability where necessary.

B. Rules And Guidelines for Decoration

Shell Scheme stands will be provided in accordance with the specifications mentioned. Please note that the internal dimensions of the Shell Scheme area are approximately 5 cm smaller than the contracted area as the walls are contained within circular upright aluminium members within the booth area.

Alterations are not allowed in the Standard Shell Scheme structure.

- No Alternations may be made in the standard Shell Scheme Fascia.
- No alterations / removal of panels etc will be allowed.
- Private furniture / carpets etc. are not permissible.
- Raising the floor artificially or construction of wooden flooring is not permissible.
- Major woodwork, if any, must be approved in advance by the Fair Architect before starting such work.

- C. The following are **strictly prohibited.**
 - a) Use of electrical flashes, flash guns and neon signs.
 - b) Cloth Banners, Velvet Banners or Velvet Covers on the panels / table.
 - c) Stage shows or presentations without prior permission in writing of the Organiser.
 - d) Painting, Coloring, Wallpapering, Sticking of Thermocole cut letters, Nailing, or drilling of panels. If you require assistance in hanging or displaying your exhibits, please consult the Official Shell Stand Contractor of your Hall. Exhibitors would be charged @ INR 1500 per panel for any damage to panels.
 - e) Suspending items from the Hall ceiling or parts of it.
 - f) Storage of any kind behind the display walls.
 - g) Digging, grouting or cutting the floor.
 - h) Raising the height of the back wall/ fascia for promoting the company name / Logo.
- D. No additional, out-sourced stand fitting or display may be attached to the shell stand structure.
- E. All interior stand fittings must be contained within the shell stand structure and must not exceed 2.5m height. No free-standing equipment may exceed a height of 2.5m or extend beyond the boundaries of the site allocated.
- F. It is mandatory for Exhibitors with 2 or 3 or 4 side open stands, to arrange displayin such a way that there is no obstruction on any of the open sides. This will ensure free movement and give exhibitors a feeling of openness and transparency. Exhibitors are not allowed to obstruct the view or adversely affect the displays of other Exhibitors.
- G. A minimum of 30% of Stand area must be left for circulation. Exhibitors shall not arrange the display of material in a way that will obstruct passage areas.
- H. Natural pillars falling within a stand area may be covered to a height of 3.0 mtrs.
- I. Exhibits of over 2.5 mtrs height must not be placed on any raised platform.
- J. There is no restriction on height and weight of exhibits on display except imposedby the load bearing capacity of the floor and height of entry doors. Please refer technical specification of exhibition halls. The same should be cleared by the Organiser before finalising large / heavy exhibits for display.
- K. Any presentation / demonstration / exhibit likely to attract groups of 10 or more people must be located towards the centre / rear portion of the stand and clearly shown on stand drawings.
- L. It is mandatory for the exhibitors to inform the Organiser if: -
 - Exhibit configuration is 18 sqms or more.
 - Exhibit exceeds 2.5 mtrs in height or 4 mtrs in length.
 - Exhibit material exceeds 3 tons.
 - Exhibit contains liquid fuel / natural gas / propane.
 - Exhibits require water for demonstration purposes.
- M. To avoid inconvenience to other exhibitors and to enable the Organiser to complete repair work of passages, cable ducts etc., before the exhibition starts Exhibitors are requested to move into their exhibits within the stipulated time.

I. AUDIO VISUAL FILMS, VIDEO WALLS, STAGE SHOWS

- a) Stage events / shows It is not permitted by Venue Authorities to organise any stage events.
- b) The Organiser reserves the right to regulate or restrict exhibits within a reasonable sound level or the sound level of 60 dB peak on sound level meters (ANSI Type 2) on the SLOW meter position at 3 mtrs distance. The sound speakers must not be placed higher than 1.5 mtrs. They must be positioned downward and inward towards the centre of the exhibit booth or display area and may not be pointed towards the aisle. The Organiser reserves the right to restrict exhibitors' use of sound and other devices whichmay interfere with the best interest of the fair environment or not permitted by the venue authorities.
- c) The organiser reserves the right to disconnect the supply of electricity to anyexhibitor violating these guidelines.
- d) The Organiser reserves the right to change/alter/remove any exhibit interfering with the aesthetics of the exhibition or that which hinders the public in any way.

II. ELECTRICAL INSTALLATION REGULATIONS

- Electrical wiring and installation required for connecting machine(s) for demonstrations purpose must be undertaken by Exhibitors employing registered professional technicians using proper wiring switches etc. to ensure safety. The Organiser shall not be responsible or liable in case of any mishap due to use of substandard material or unskilled labor.
- 2. All wiring must be carried out in PVC, Elastomeric or other plastic sheathed cables. No exposed means of cable joints will be permitted.
- 3. The Organiser reserves the right to disconnect any installation, which in their opinion is dangerous or likely to cause annoyance to visitors or other Exhibitors.
- 4. To take care of voltage fluctuations, the Exhibitors are advised to install suitable constant voltage transformers or insulation transformer or stabilizers for CNC and other sensitive machines. Exhibitors are encouraged to use MCB wherever necessary.

III. STAND APPROVAL

- 1. Exhibitors must move in as per the schedule given in section 2 (Pre-Fair Period) of the Exhibitor Services Manual, provided space rent, deposits and other dues have been paid in full to the Organiser.
- 2. Exhibitors must submit the design of the stand showing elevations and plan for approval, by **25 October 2024.**
- 3. All stands will be inspected during the set-up days and any Exhibitor deviating from the regulations must make modifications as suggested by the Fair Architectat their own expense, prior to the show opening.
- 4. All exhibition stands must be completed in all respects by 1400 Hrs on 14th November 2024.

For more details, please mail at : praveen.dhiman@cii.in